



# Status Brief on Automating DOD Qualification: *Qualified Products Database (QPD)*

DoD Standardization Conference  
March 14, 2007

Joe Delorie, DSPO



# What is Qualification?




- **Examine and test products, processes, or materials of manufacturers and distributors**
  - In advance of, and independent of, an acquisition
  - To qualify [sources for] products that conform to specification requirements
- **Approved products and sources are “listed” on a Qualified Products List (QPL) or a Qualified Manufacturers List (QML)**



# Why Have Qualification?



- **Extended test time (30 days - 720 hours)**
- **Special equipment required to conduct quality conformance inspection**
- **Life survival or emergency life saving equipment**
- **Critical item designated as safety critical in the Federal Logistics Information System**
- **The performance, quality and reliability of the item is critical and the consequence of a failure may be catastrophic to mission, equipment safety and/or life**



# Benefits of Qualification



- **Streamlines procurement process**
- **Reduces acquisition costs**
- **Improves readiness**
- **Establishes trusted sources**
  - **Availability of multiple “pre-certified” sources promotes competition**
  - **QPLs also streamline procurement by excluding uncertified sources**



# Program Scope



- **QPLs - Total of 757**

Army	70
Navy	332
Air Force	116
DLA	229
GSA	10
- **QMLs - Total of 5**

DLA	4
Navy	1
- **Overall - Total of 762\***


**\*as of 28 Feb 2007**



# Automation Background



- **QWG recommended web-based process to:**
  - **Provide near real-time qualification data**
  - **Support DoD resources through automation**
- **DSPO approved QWG's recommendation**
  - **Engaged developer to build the database**
  - **Conducted site surveys to assess user needs**
  - **Monitored database design**





# The Goal

---

- **Web-based “paperless” process**
  - **Near real-time updates**
  - **Process to ease workload of maintaining qualification data**
  - **Provide current, accurate supplier information for buyers**
- **Initial data upload is challenging**
- **Long-term benefits**



# Implementation Approach



- **Update policy and procedures to reflect the conversion to an automated qualification process and use of electronic QPLs/QMLs**
  - **Draft policy memo is in coordination with DepSOs (comments due by 5 April 2007)**
  - **Policy will establish time frame for completing transformation from current to electronic QPLs/QMLs**
  - **No more paper QPL updates**
- **Allow a reasonable transition period to enable data preparation and data entry**





# Implementation Ground Rules



- **Transition period to enable data cleanup / data entry**
  - **Interim dual system (transformation notices)**
  - **Line in the sand**
- **Each user needs an ASSIST-Online account**
- **Level of access depends on user role**
- **Each listed source (US/foreign) needs a CAGE code for the plant location where the product was qualified**
  - **Central Contractor Registry (CCR) is the official source**
  - **Getting a CAGE code is fast and easy via [www.ccr.gov](http://www.ccr.gov)**





# User Training



- **Conducting multiple training sessions at developer's facility (Chantilly, VA)**
- **Scheduling "Road Shows" as needed**
- **Receiving positive feedback from users**
- **Expecting to complete training by 1 July 2007**





# Data Preparation Guidance



- **Review all QPLs/QMLs *before* automating**
  - **Ensure the data is accurate and current before entering it into the database**
  - **QPD will be the official DOD qualification data repository**
- **Take appropriate corrective action on out-of-date QPLs/QMLs**
  - **Update**
  - **Cancel**



# Over-aged QPLs



- **High number of over-aged QPLs**

2-5 yrs	5-10 yrs	10+ yrs
Total		
74	118	108
300		

- **Samples of over-aged QPLs**



# Database Population



- **Training is still in progress**
- **Database population is progressing, but slowly**
- **DSPO will provide SEs and DepSOs monthly progress reports**



# Status of Database Population (as of 26 Feb 2007)



Organizati on	Unpublished	Published
Army	38	1
Navy	152	8
Air Force	30	0
DLA	14	0
GSA	6	0
Totals	240*	9

\* Plus we expect to get 182 in an automated feed from D9



# **We Need Your Support**

---



- **Commitment to automate all QPLs/QMLs within a specified timeframe**
- **Support for canceling any QPLs/QMLs not loaded into the new database within a specified timeframe**

Wed, Mar 14, 2007

ASSIST database last updated: Mar 13, 2007

What's New? (updated Jul 14, 2006)

[New Search](#)

- General
- References
- Reviewer Interest
- Print Order
- Intl Agreements
- Sec 6 Keywords
- HAZMATs / ODCs

- Report Library
- FAQs
- Main Menu
- Logout



## Document Analysis

### Document Details - General

**Document ID:** MIL-N-25161C(3)

Scroll down to access document images.

#### Overview

**Title:** NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2**Scope:** This specification covers an aerial pressure refueling nozzle, for use with "probe and drogue" type refueling systems.**Status:** Active**Document Date:** 12-FEB-1981**QPL/QML:** [QPL-25161-20](#)**FSC/Area:** 1680**Dist Stmt:** A**Doc Category:** Detail Specifications**Implements ISAs:** [2](#)

#### Responsibilities

**Lead Standardization Activity:** [99](#) Air Force Materiel Command HQ**Preparing Activity:** [11](#) Aeronautical Systems Center**Coordination:** Full**Army Custodian:****Navy Custodian:** [AS](#) Naval Air Systems Command**Air Force Custodian:** [99](#) Air Force Materiel Command HQ**DLA Custodian:****Other Custodian:**

#### Projects

**SD-4 Project:** N/A

Amendments to military specifications or specification sheets issued after August 1, 2003, are no longer published as stand-alone documents, but are incorporated in the modified document.





Wed, Mar 14, 2007

ASSIST database last updated: Mar 13, 2007

What's New? (updated Jul 14, 2006)

[New Search](#)

## Document Analysis

### Document Details - General

**Document ID:** MIL-S-53021A NOT 1 Scroll down to access document images.

**Type of Notice:** Inactivation

#### Overview

**Title:** STABILIZER ADDITIVE, DIESEL FUEL

**Scope:** This military specification covers a stabilizer additive for use in diesel fuels meeting the requirements of VV-F-800 which are intended for intermediate (6-24 months) or long-term (25-60 months) storage.

**Status:** Inactive

**Document Date:** 25-SEP-1998

[Qualification](#)

**FSC/Area:** 6850

**Dist Stmt:** A

**Doc Category:** Detail Specifications



#### Responsibilities

**Lead Standardization Activity:** [GS](#) Defense Supply Center, Richmond

**Preparing Activity:** [AT](#) Tank-Automotive and Armaments Command

**Coordination:** Full

**Army Custodian:** [AT](#) Tank-Automotive and Armaments Command

**Navy Custodian:** [YD](#) Naval Facilities Engineering Command

**Air Force Custodian:** [68](#) Air Force Petroleum Agency (HQ AFPET/AF)

**DLA Custodian:**

**Other Custodian:**

#### Projects

**SD-4 Project:** N/A



Wed, Mar 14, 2007

ASSIST database last updated: Mar 13, 2007

What's New? (updated Jul 14, 2006)

[New Search](#)

- General
- References
- Reviewer Interest
- Print Order
- Intl Agreements
- Sec 6 Keywords
- HAZMATs / ODCs

- Report Library
- FAQs
- Main Menu
- Logout



## Document Analysis

### Document Details - General

**Document ID:** MIL-N-25161C(3)

Scroll down to access document images.

#### Overview

**Title:** NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2**Scope:** This specification covers an aerial pressure refueling nozzle, for use with "probe and drogue" type refueling systems.**Status:** Active**Document Date:** 12-FEB-1981**QPL/QML:** [QPL-25161-20](#)**FSC/Area:** 1680**Dist Stmt:** A**Doc Category:** Detail Specifications**Implements ISAs:** [2](#)

#### Responsibilities

**Lead Standardization Activity:** [99](#) Air Force Materiel Command HQ**Preparing Activity:** [11](#) Aeronautical Systems Center**Coordination:** Full**Army Custodian:****Navy Custodian:** [AS](#) Naval Air Systems Command**Air Force Custodian:** [99](#) Air Force Materiel Command HQ**DLA Custodian:****Other Custodian:**

#### Projects

**SD-4 Project:** N/A

Amendments to military specifications or specification sheets issued after August 1, 2003, are no longer published as stand-alone documents, but are incorporated in the modified document.

Wed, Mar 14, 2007

ASSIST database last updated: Mar 13, 2007

What's New? (updated Jul 14, 2006)

[New Search](#)

- General
- References
- Reviewer Interest
- Print Order
- Intl Agreements
- Sec 6 Keywords
- HAZMATs / ODCs

- Report Library
- FAQs
- Main Menu
- Logout



## Document Analysis

### Document Details - General

**Document ID:** MIL-N-25161C(3)

Scroll down to access document images.

#### Overview

**Title:** NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2**Scope:** This specification covers an aerial pressure refueling nozzle, for use with "probe and drogue" type refueling systems.**Status:** Active**Document Date:** 12-FEB-1981**QPL/QML:** [QPL-25161-20](#)**FSC/Area:** 1680**Dist Stmt:** A**Doc Category:** Detail Specifications**Implements ISAs:** [2](#)

#### Responsibilities

**Lead Standardization Activity:** [99](#) Air Force Materiel Command HQ**Preparing Activity:** [11](#) Aeronautical Systems Center**Coordination:** Full**Army Custodian:****Navy Custodian:** [AS](#) Naval Air Systems Command**Air Force Custodian:** [99](#) Air Force Materiel Command HQ**DLA Custodian:****Other Custodian:**

#### Projects

**SD-4 Project:** N/A

Amendments to military specifications or specification sheets issued after August 1, 2003, are no longer published as stand-alone documents, but are incorporated in the modified document.



Wed, Mar 14, 2007

ASSIST database last updated: Mar 13, 2007

What's New? (updated Jul 14, 2006)

New Search



## Qualified Products Database

[Main](#) [Search](#) [Help](#)

- General
- References
- Reviewer Interest
- Print Order
- Intl Agreements
- Sec 6 Keywords
- HAZMATs / ODCs

- Report Library
- FAQs
- Main Menu
- Logout

The Qualification Dataset for the following governing specification was last updated on 05-FEB-2007

QA	FSC	Doc Date	Doc ID	Doc Status	Title	QDS Notes
AT	6850	25-SEP-1998	<u>MIL-S-53021A NOT 1</u>	Inactive	STABILIZER ADDITIVE, DIESEL FUEL	<a href="#">Preamble</a> <a href="#">Footnotes</a>

### Search > QDS > Government Parts

Based on the selected QDS above,  
Filter for:

Filter by:

--NONE--

[Filter](#)

Total part count = 1

Click on the appropriate link to see more.

▼▲ Govt Designation	▼▲ NGS Designation	▼▲ NSN	▼▲ Spec Sheet	Notes
<a href="#">SA-15</a>				

Page 1 of 1  [Go to Page](#)



- General
- References
- Reviewer Interest
- Print Order
- Intl Agreements
- Sec 6 Keywords
- HAZMATs / ODCs

- Report Library
- FAQs
- Main Menu
- Logout

AT 6850 25-SEP-1998 [MIL-S-53021A NOT 1](#) Inactive STABILIZER ADDITIVE, DIESEL FUEL [Preamble](#)[Footnotes](#)

## Search &gt; QDS &gt; Government Parts

## Footnotes

The activity responsible for this Qualified Products List is: US ARMY TANK-AUTOMOTIVE  
R,D &E CTR, 6501 E. 11 MILE ROAD, ATTN: AMSRD-TAR-D MS110, WARREN, MI 48397-5000

\* Where two brand names are listed after one qualification number, both products are required.

\*\* Treat Rate is the recommended ratio of additive to fuel; e.g., 1:5000 means 1 gallon of additive to 5000 gallons of fuel.

POLHelp@tacom.army.mil

[Footnotes](#)

## Search &gt; QDS &gt; Government Parts &gt; Manufacturer Parts

Based on the selected QDS above,

Filter for:

Filter by:

--NONE--

[Filter](#)

Based on the selected Government Part to the left,

Filter for:

Filter by:

--NONE--

[Filter](#)

Total part count =

1

Click on the appropriate link to see more.

▼▲Govt Designation	▼▲NGS Designation	▼▲NSN	▼▲Spec Sheet	Notes
<a href="#">SA-15</a>				

Page 1 of 1

1

[Go to Page](#)

Total part count = 1

Click on the appropriate link to see more.

▼▲Mfr Designation	▼▲Source Name	▼▲CAGE Code	Related Links
<a href="#">LTSA-35A (1:5000) AND KATHON FP 1.5 (1:10000)</a>	FUEL QUALITY SERVICE INC 4584 CANTRELL RD FLOWERY BRANCH, GA 30542-3303 UNITED STATES Test Reference:	40161	<a href="#">[source POC]</a> <a href="#">[source Plants]</a> <a href="#">[source Notes]</a>

Page 1 of 1

1

[Go to Page](#)



- Doc Analysis
- Doc Management
- Review Drafts
- DoD Contacts
- DoD Projects
- HAZMATs / ODCs
- DIDs
- ISAs
- **Acq Analysis**
- **Qualification**
- User Profile
- Report Library
- FAQs
- NGS Adopted
- Main Menu
- Logout

- DSP Home Page
- Shopping Wizard

### Admin Modules

- User Feedback

Wed, Mar 14, 2007

ASSIST database last updated: Mar 13, 2007

What's New? (updated Jul 14, 2006)

# ASSIST

[search](#)[overview](#)[report roadmap](#)[functional zoom](#)[alert portal](#)[help](#)

The Official Source of  
DoD Standards  
and Specifications



Welcome J Delorie

- » email: [jdelorie@gmail.com](mailto:jdelorie@gmail.com)
- » logon (this session): Mar 14, 2007 10:19:02 AM
- » last logon: Mar 14, 2007 10:11:54 AM
- » [click here to edit your profile](#)




acquisition streamlining and standardization information system



Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA  
19111-5094.

If you have any questions, please contact the appropriate ASSIST-Help Desk team:  
Account/Password Issues: 215-697-6396 or 215-697-6257 [DSN: 442-6396 or 442-6257]. Questions or







default - Microsoft Internet Explorer

FileEditViewFavoritesToolsHelp

Back

Search

Favorites

Address 

http://qpd.daps.dla.mil/qpd/search/default.aspx

Go

Links

MainSearchHelp

Search for:

Search by:

MIL

Document ID

Search

If the governing spec you seek is not found in the list below, [click here](#) for more info.

Total Data Set Count = 9

Click on the Document ID to see qualified products.

Document ID	Document ID	Title
<a href="#">MIL-H-904J NOT 1</a>	MIL-H-904J NOT 1	HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION
<a href="#">MIL-PRF-907F</a>	MIL-PRF-907F	ANTISEIZE THREAD COMPOUND, HIGH TEMPERATURE
<a href="#">MIL-L-16383H</a>	MIL-L-16383H	LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM
<a href="#">MIL-P-17578A NOT 1</a>	MIL-P-17578A NOT 1	PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425)
<a href="#">MIL-PRF-18458C</a>	MIL-PRF-18458C	GREASE, WIRE ROPE - EXPOSED GEAR
<a href="#">MIL-W-19088(10)</a>	MIL-W-19088(10)	WATTMETERS, SWITCHBOARD TYPE, 4-1/2 INCH
<a href="#">MIL-DTL-24552B</a>	MIL-DTL-24552B	TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION FOR
<a href="#">MIL-V-24695A</a>	MIL-V-24695A	VALVE, HOSE ASSEMBLY, AND ADAPTER, VENT AND TEST HYDRAULIC SERVICE, GENERAL SPECIFICATION FOR (METRIC)
<a href="#">MIL-S-53021A NOT 1</a>	MIL-S-53021A NOT 1	STABILIZER ADDITIVE, DIESEL FUEL

Page 1 of 1

1

Go to Page

start

Discon...

Inbox ...

E:\14 ...

QPD-s...

Jeff B...

QPD-s...

ASSIS...

default...

Internet

10:55 AM



# Questions?

## **DSPO Contacts:**

**Donna.McMurry@dla.mil**

**(703)767-6874**

**Ronald.Zabielski@dla.mil**

**(703)767-6877**

**Joseph.Delorie@dla.mil**

**(703)767-6878**

**Tim.Koczanski@dla.mil**

**(703)767-6870**